


CLAIMS

What is claimed is:

1. A distributed server administration system, comprising:
a server configured to be accessed via an electronic data network and to store and serve at least one first software package via said electronic data network, wherein said at least first one software package corresponds to at least one software system of said server; and
a client administrator configured to access said server, to receive said at least one first software package, and to execute said at least one first software package in conjunction with said corresponding at least one software system of said server, the execution of said at least one first software package allowing said server to be administered by said client administrator via said electronic data network.

2. The system according to claim 1, further comprising
an administrative server configured to store and serve a plurality of second software packages, wherein said at least one first software package contains a reference corresponding to at least one second software package from said plurality of second software packages, at least one second software package corresponding to said software system of said server, and said client administrator is further configured to access said admin server based on said reference, to receive said at least one second software package, and to execute said at least one second software package in conjunction with said at least one software system of said server, said execution of said at least one first software package and said second software package allowing said server to be administered by said client administrator via said electronic data network.



1. *Staphylococcus aureus* (Staph. aureus)
 2. *Staphylococcus epidermidis* (Staph. epidermidis)
 3. *Staphylococcus saprophyticus* (Staph. saprophyticus)
 4. *Staphylococcus carnosus* (Staph. carnosus)
 5. *Staphylococcus sciuri* (Staph. sciuri)
 6. *Staphylococcus hyacinthi* (Staph. hyacinthi)
 7. *Staphylococcus albus* (Staph. albus)
 8. *Staphylococcus citreus* (Staph. citreus)
 9. *Staphylococcus gelae* (Staph. gelae)
 10. *Staphylococcus lentus* (Staph. lentus)
 11. *Staphylococcus medialis* (Staph. medialis)
 12. *Staphylococcus pasteurii* (Staph. pasteurii)
 13. *Staphylococcus schweinitzii* (Staph. schweinitzii)
 14. *Staphylococcus simulans* (Staph. simulans)
 15. *Staphylococcus warneri* (Staph. warneri)

1 9. The system according to claim 3, wherein said second
2 software package contains a reference to a plurality of software
3 packages corresponding to said at least one software system of
4 said server, and said client administrator is further configured to
5 receive and to execute said plurality of software packages in
6 conjunction with said at least one software system of said server.

1 10. The system according to claim 9, wherein said plurality of
2 software packages are JAR files and are executed together
3 forming a Java user interface containing an administration
4 interface to said server.

1 11. A distributed server administration system, comprising:
2 a plurality of servers coupled to an electronic data network,
3 each server of said plurality of servers being configured to store
4 and to serve at least one first software package, said at least one
5 first software package corresponding to the server on which said
6 at least one first software program is stored; and
7 a client administrator configured to access each server in
8 said plurality of servers via said electronic data network, to
9 receive said at least one first software package from each server,
10 and to execute said at least one first software package in
11 conjunction with each server, said at least one first software
12 package allowing said server on which said at least one first
13 software program is stored to be administered by said client
14 administrator.

1 12. The system according to claim 11, wherein said at least one
2 first software package is a JAR file.

1 13. The system according to claim 11, wherein said at least
2 one first software package references at least one second

3 software package, said at least one second software package
4 corresponds to the server on which said at least one first software
5 program is stored and is located on a server within said plurality of
6 servers, and said client administrator is further configured to
7 receive said at least one second software package and to execute
8 said at least one second software package in conjunction with
9 said at least one first software package to allow the administration
10 of said server on which said at least one first software program is
11 stored.

1 14. A method for facilitating a distributed server administration
2 system comprising the steps of:

3 at a client administrator, selecting and accessing a server
4 to be administered via an electronic data network, said server
5 configured to store and to serve at least one first software
6 package corresponding to said server;

7 at said client administrator, receiving said at least one first
8 software package; and

9 at said client administrator, executing said at least one first
10 software package in conjunction with said server to produce an
11 administration interface wherein said server may be administered
12 via said electronic data network.

1 15. The method according to claim 14, wherein said at least one
2 first software package references at least one second software
3 package, said second software package corresponding to said
4 server, further comprising the steps of:

5 at said client administrator, receiving said at least one
6 second software package based on said reference; and

7 at said client administrator, executing said at least one
8 second software package in conjunction with said at least one

9 first software package to produce an administration interface
10 wherein said server may be administered.

1 16. The method according to claim 14, wherein said at least one
2 first software package is a JAR file.

1 17. The method according to claim 14, wherein said at least
2 one first software package and said at least one second software
3 package are JAR files.

1 18. The method according to claim 14, wherein said client
2 administrator is further configured to install and store said at least
3 one first software package.

1 19. The method according to claim 18, wherein said client
2 administrator is further configured to install and store said at least
3 one first software package and said at least one second software
4 package.

1

1